



HESHBON HL-3300WL



4 tons Wheel Alignment

A precision scissor lift designed for wheel alignment tasks. The compact 4200 mm platform and central hydraulic jack ensure easy vehicle positioning and efficient underbody access.






FEATURES

- Long type platform (4,510mm) for long vehicle.
- Due to the wider platform width 2,120mm, various types of vehicles can be operated reliably.
- Sliding ramps (Option) make ramps for extend & reduce, and the space utilization is more versatile due to the folding system.
- Hydraulic cylinder located in the fixed platform and is thus perfectly protected.
- High resistance galvanized and pre-stretched lifting cable.
- Lock release lever for emergency situations.
- Adjustable parking ratchet rails ensure the platforms and cross members remain horizontal within 4 wheel alignment tolerances.
- Self-lubricated large diameter pulleys and maintenance-free bushes.





LAY-OUT

SPECIFICATION	DETAILS
Model No.	HL-3300L
Lifting Capacity	Body: 4,000 / Jack: 2,000 kg
Max. Lifting Height	Body: 1,750 / Jack: 575 mm
Dimension (mm)	6,278 (L) × 3,360 (W) × 2,215 (H)
Power Supply & Motor	1ph: 2.5HP, 4P, 220V, 50/60 Hz 3ph: 2HP, 4P, 220/380V, 50/60 Hz
Net Weight	1565 kg
Lifting Time / Lowering Time	Body: 40-60 sec / Jack: 5-15 sec Body: 30-50 sec / Jack: 5-15 sec