



HESHBON HL-42F



4 Post 4 TON Wheel

A high-performance scissor lift designed for general service and inspection bays. Compact yet powerful, it offers safe and quick lifting for a wide range of passenger vehicles






FEATURES

- Hydraulic cylinder located in the fixed platform and is thus perfectly protected.
- High-resistance galvanized and pre-stretched lifting cable.
- Adjustable parking ratchet rails ensure the platforms and cross members remain horizontal within 4 wheel alignment tolerances.
- Self-lubricated large diameter pulleys and maintenance-free bushes.
- Auxiliary lift table built in the platforms for wheel-free operation.
- Auto-pneumatic rear slip plates locking device.
- Two-step descending system gives full foot protection. (CE)
- Hydraulic hand-pump for emergency ascend/descend. (CE)
- De-synchronization detecting electronic photo-cell. (CE)
- Lighting kits 4 pcs. (OPTION)





LAY-OUT

SPECIFICATION	DETAILS
Model No.	HL-42F
Lifting Capacity	Body: 4,000 kg / Jack: 3,000 kg
Max. Lifting Height	Body: 1,810 mm / Jack: 390 mm
Dimension (mm)	5,775 (L) × 3,542 (W) × 2,210 (H)
Power Supply & Motor	3ph: 3HP, 4P, 220/380V, 50/60Hz
Net Weight	1,950 kg
Lifting Time / Lowering Time	Body: 40-60 sec. / Jack: 5-15 sec. Body: 30-50 sec. / Jack: 5-15 sec.